

R. Pollitzer

PLAGUE

698 pages, bibliographies, 79 illustrations (including 40 original drawings, 2 folding maps and 2 coloured plates)

Price: £3 5s. \$10.00 Sw. fr. 40.— (clothbound)

Plague, from the beginning of history the dread of mankind, is a disease which is regressing but which has by no means been eradicated. Endemic in many countries, enzootic among wild rodents in vast areas of the world, it remains an important problem in public health.

The author, drawing upon the experience of a lifetime largely devoted to plague, has provided in this work not only a summary of present knowledge, but also a practical guide for clinicians, biologists, health workers, and epidemiologists.

R. Pollitzer

LA PESTE

1954; 737 pages, bibliographies, 79 illustrations, dont 2 en couleurs.

Prix: Fr. s. 40.— Fr. fr. 3300 £3 5s. \$10.00 (relié)

La peste qui, dès l'aube des temps historiques, fut la terreur de l'humanité, est une maladie en régression, mais non une maladie éteinte. Endémique dans maints pays, enzootique chez les rongeurs sauvages de vastes régions, elle reste un problème de santé publique important.

Fort de l'expérience d'une carrière consacrée en grande partie à la peste, l'auteur a fait de ce volume, non seulement la somme des connaissances présentes, mais un guide pratique à l'usage des cliniciens, des hygiénistes, des biologistes et des épidémiologistes.

INDEX

Articles and summaries are indexed in their language of publication.

The names of authors of articles are printed in capitals.

Les articles et les résumés sont indexés dans la langue de leur publication.

Les noms d'auteurs sont imprimés en majuscules

- ABDEL MALEK, E., 691-734, 785-818
Acarina, insecticide-resistant, 314
Aedes aegypti, DDT-resistant, 312, 639-
644, 651-655
Africa, Central Lake Plateau, bilharziasis,
692-697
Eastern, bilharziasis, 1101
endemic goitre, 72-104
See also under individual countries
psychomotor development of child, 471-
476
South, bilharziasis, 112-113, 1049-1052,
1102-1105, 1112-1113
endemic goitre, 99-104
snail ecology, 771-783
West, bilharziasis treatment, 997-998
Africans, bilharziasis infection rates, 1088-
1091
Afrique du Nord, mollusques vecteurs de
la bilharziose, 751-769
AGAMIEH, M., *see* SHIPMAN, H.
Albania, endemic goitre, 47
Algeria, endemic goitre, 72-74
ALLANSON, B. R., *see* MEILLON, B. DE
ALVES, W., 1071, 1109-1111
America, endemic goitre, 8-29
See also under individual countries
South, bilharziasis treatment, 997
Anaphylactic shock, following penicillin
administration, 341-343
Angola, endemic goitre, 872
Anopheles, insecticide-resistant, 311-312,
464-471, 579-620, 624-636, 673
rearing techniques, 580-581
Anopheles aquasalis, sensibilité aux insecti-
cides, 667-673
Anopheles aquasalis, susceptibility to insec-
ticides, 673
Anopheles gambiae, insecticide-resistant,
600-609
Anopheles stephensi, insecticide-resistant,
588-598, 611-612
Anopheles sundaicus, insecticide-resistant,
608-611
Argentina, endemic goitre, 24-25
ASCHER, K. R. S., 675-677
Asia, endemic goitre, 104-136
See also under individual countries
Australia, endemic goitre, 138-145
Australorbis glabratus, in Puerto Rico, 819-
831
Austria, endemic goitre, 47-49

BALASUBRAMANIAN, A., *see*
VEERARAGHAVAN, N.
BARBOSA, F. S. & OLIVIER, L., 895-908
Basutoland, bilharziasis survey, 1049-1050
Bechuanaland, bilharziasis survey, 1050-
1052
Belgian Congo, bilharziasis treatment,
1001-1002
endemic goitre, 94-99
Belgium, endemic goitre, 64-65
BERRY, E. G., *see* WRIGHT, W. H.
BESA, A. A., *see* PESIGAN, T. P.
BHC-resistance, 644-647
See also Insecticide resistance
Bibliography, endemic goitre, 149-173
Bilharziasis, Africa, 112-113, 692-697, 1049-
1052, 1102-1105, 1112-1113
mollusc distribution, 693-697
Africans in Transvaal, 1088-1091
Basutoland survey, 1049-1050
Bechuanaland survey, 1050-1052
Brazil, snail-schistosome complex, 895-
907, 927-928
British Cameroons, 1052-1057
circumoval precipitin test, 1105-1107
complement-fixation test, 1108-1109
control, 1037-1045
environmental sanitation, 1029
irrigation engineering, 1011-1035
molluscicides, 963-974, 975-988
role of engineer, 1022-1029
role of WHO, 1032
diagnostic intradermal test, 945-961
epidemiology, 1037-1045

- Bilharziasis (continued)**
- hosts, intermediate, *see* Snail vectors of bilharziasis
 - human activities affecting incidence, 880-889
 - immunity, 1105-1107
 - intradermal test, 376-379, 945-958
 - irrigation, 1011-1035
 - Middle East, 833-894
 - Nile Valley, hydrography, 727-729
 - vector snail distribution, 729-782
 - non-human vertebrate hosts, 931-943
 - Philippines, control project, 365-373
 - epidemiology, 362-455
 - historical review, 362-365
 - natural history and public health significance, 409-441
 - snail vectors 481-578
 - See also Schistosoma japonicum*
 - Puerto Rico, 819-831
 - snail vectors, *see* Snail vectors of bilharziasis
 - Sudan, drainage units, 720-727
 - fossil records of molluscs, 706-707
 - geography, 697
 - hydrographic aspects, 700-703
 - planorbid snails, 707-720
 - Swaziland, control, 744-745, 748-749
 - irrigation schemes, 740-744
 - prevalence, 737-740
 - snails, 737
 - Transvaal, animal reservoirs, 1080-1081
 - treatment with lucanthone hydrochloride, 989-1010, 1109-1111
 - Bilharziose, épidémiologie et lutte, 1045-1046, 1081-1087**
 - irrigation, 1033-1034
 - lutte, molluscicides, 973-974, 985-986
 - mollusques vecteurs, Brésil, 906-907, 909-929
 - choix de l'habitat, 815-816
 - Moyen-Orient, 891-892
 - Porto-Rico, 831-832
 - rythmes biologiques, 751-768
 - Philippines, 452-453
 - Oncomelania quadrasi*, 577
 - réservoirs non-humains, 942-943
 - test pour diagnostic, 958-959
 - traitement par le chlorhydrate de lucanthone, 1009
 - BLAIR, D. M.**, 898-1010
 - BLAIR, J. E.**, 291-307
 - Blattella germanica**, insecticide-resistant, 313
 - Bolivia endemic goitre, 21-22
 - Borneo, North, endemic goitre, 125-126
 - Brazil, endemic goitre, 26-29
 - North-East, snail vectors of bilharziasis, 895-907
 - snail-schistosome complex, 927-928
 - yaws, 461-463
 - Brésil, mollusques vecteurs de la bilharziose, 906-907, 909-929
 - British Cameroons, bilharziasis survey, 1052-1057
 - endemic goitre, 81-83
 - BROWN, A. W. A.**, 309-321
 - Bulgaria, endemic goitre, 44-45
 - Bulinus truncatus** in the Middle East, 833-891
 - distribution, ecological factors affecting, 856-870
 - geographical, 834-838
 - in irrigation systems, 848-854
 - habitats, 839-854
 - general features, 839-841
 - special types, 841-848
 - life-cycle, 854-856
 - migration and dispersal, 838-839
 - relationship between control and bionomics, 871-877
 - seasonal variation, 854-856
 - suggested ecological research, 877-880
 - Bulinus truncatus**, richesse des gîtes, 1057-1064
 - rythmes biologiques, 751-769
 - variation d'abondance, 1064-1070
 - Burma, endemic goitre, 117-118
 - BURROWS, W. & POLLITZER, R.**, 275-290
 - BUSVINE, J. R. & COKER, W. Z.**, 651-656
 - BUTTNER, A.**, 909-929
 - Canada, endemic goitre, 8-9
 - Canary islands, endemic goitre, 75
 - Cercariae, cycle, 555-563
 - daily output, 563-568
 - distribution in colonies, 568-571
 - downstream snail colonies, 571-575
 - See also* Bilharziasis; *Schistosoma*
 - Cetyl bromoacetate, against resistant houseflies, 675
 - Ceylon, endemic goitre, 115
 - Child, African, psychomotor development, 471-476
 - endemic goitre, 22-23
 - China, endemic goitre, 127-132

- Chlorhydrate de lucanthone, contre la bilharziose, 1009
- Cholera, culture media and reagents, 277-282
- laboratory diagnosis, 275-290
- specimens, collection of, 275
- examination, 283-288
- identification, 284
- isolation, 284
- preservation, 276
- Chrysomyia putoria*, insecticide-resistant, 314
- Cimex hemipterus*, insecticide-resistant, 313, 644-647
- Cimex lectularius*, insecticide-resistant, 313
- Circumoval precipitin test, immunity to bilharziasis, 1105-1107
- CLEMENTS, F. W., 175-200
- COKER, W. Z., see BUSVINE, J. R.
- Colloid goitre, 177, 179-181
- See also* Goitre, endemic
- Colombia, endemic goitre, 16-18
- COLUZZI, A., see RAFFAELE, G.
- Complement-fixation test, bilharziasis, 1108-1109
- Costa Rica, endemic goitre, 15
- Cretinism, 111, 185-198
- classification, 192-194
- etiology, 195-197
- prevalence, 194-195
- See also* Goitre, endemic
- Culex*, insecticide-resistant, 312-313
- Culex fatigans*, sensibilité aux insecticides, 667-673
- Culex fatigans*, susceptibility to insecticides, 636-639, 673
- Culex pipiens fatigans*, dieldrin-resistant in Malaya, 657-664
- Czechoslovakia, endemic goitre, 50-52
- DAVIDSON, G., 579-621
- DDT, résistance, 667-673
- DDT-resistance, *Aëdes aegypti*, 464-471, 639-644, 651-655
- methods of measuring, 653
- strains used, 652
- anophelines, 624-639
- Cimex hemipterus*, 644-647
- Culex pipiens fatigans*, 681-683
- Musca domestica*, 641-644, 675-677
- action of cetyl bromoacetate, 675-677
- See also* Insecticide resistance
- DE ZULUETA, J., see RAFFAELE, G.
- Deaf-mutism, 111, 197-198
- See also* Goitre, endemic
- DEAN, R. F. A., see GEBER, M.
- Denmark, endemic goitre, 33-35
- Dieldrin-resistance, *Culex pipiens fatigans*, 657, 664, 681-683
- See also* Insecticide resistance
- DJANBAKSH, B., see McLINTOCK, J.
- DOBROVOLNY, C. G., see WRIGHT, W. H.
- Dominican Republic, endemic goitre, 15-16
- Ecuador, endemic goitre, 19-20
- Egypt, bilharziasis treatment, 998-1000
- endemic goitre, 88
- molluscicide experiments, 969-974
- Nile Valley, bilharziasis, 727-732
- survey of water-supplies and latrines, 477-479
- Egypte, fréquence de *B. truncatus*, 766-768
- El Salvador, endemic goitre, 13-14
- Endemic goitre, *see* Goitre, endemic
- Engineering and bilharziasis control, 1011-1035
- England, endemic goitre, 65-67
- Eritrea, endemic goitre, 92-94
- Estonian SSR, endemic goitre, 35-36
- Ethiopia, endemic goitre, 92-94
- Europe, endemic goitre, 29-72
- See also under individual countries*
- FAROOQ, M., see PESIGAN, T. P.
- FAURAN, P., *voir* FLOCH, H.
- Finland, endemic goitre, 29-31
- FLOCH, H. & FAURAN, P., 667-673
- FRAGA DE AZEVEDO, J., 1052-1057
- France, endemic goitre, 70-72
- FRANK, G. H., see MEILLON, B. DE
- French Cameroon, endemic goitre, 83-87
- French Equatorial Africa, endemic goitre, 83-87
- French Guiana, insecticide resistance, 672-673
- French West Africa, endemic goitre, 75-78
- Gambia, endemic goitre, 78-79
- GARCIA, E. G., *see* PESIGAN, T. P.
- GAUD, J., 751, 769
- GEBER, M. & DEAN, R. F. A., 471-476
- Germany, endemic goitre, 52-55
- Ghana, endemic goitre, 81
- Goitre, assessment of gland, 220-221
- classification, 222-224
- colloid, 177, 179-181, 182

- Goitre (continued)**
- endemic, bibliography, 149-173
 - carcinoma of thyroid, 184-185
 - children, prevalence, 178-179
 - sequelae, 179-181
 - examination technique, 221-222
 - geographical distribution, 5-173
 - See also under individual countries*
 - health problem, 175-200
 - hyperplastic phase, 176-177
 - iodine metabolism, 201-215
 - natural history, 175-185
 - onset, 175-176
 - prophylaxis, 79, 244-253
 - adults, 181-185
 - complications, 250
 - iodine, 245-248
 - sequelae, 181-185, 185-197
 - survey technique, 217-230
 - therapy, iodine, 235-238, 238-239
 - surgical treatment, 242-243
 - thyroid preparations, 239-242
 - thyroid aplasia, 186-188
 - urine iodine excretion, 212
 - nodular, 181-182
 - non-visible, 219-220
- Greece, endemic goitre, 47
- Guatemala, endemic goitre, 12-13
- Guyane Française, sensibilité aux insecticides de *C. fatigans* et *A. aquasalis*, 667-673
- HAIRSTON, N. G., see PESIGAN, T. P.**
- HARRY, H. W. & ALDRICH, D. V., 819-832**
- See also McMULLEN, B.*
- Hawaiian islands, endemic goitre, 149
- HCH, résistance, 667-673
- HOLMAN, J. C. M., 255-273
- Honduras, endemic goitre, 13
- Houseflies, insecticide-resistant, 310, 641-644, 675-677
- HUBENDICK, B., 1072-1080, 1113-1116
- Hungary, endemic goitre, 49-50
- Hypothyroidism, *see Goitre*, endemic
- Iceland, endemic goitre, 29
- IDSÖE, O. & WANG, K. Y., 323-344
- Indian peninsula, endemic goitre, 108-115
- Indo-China, endemic goitre, 118-120
- Indonesia, endemic goitre, 121-125
- Insecticidal tests in Taiwan, 623-648
- Insecticide resistance, *Aëdes aegypti*, 639-644, 651-655, 656, 672
- Insecticide resistance (continued)**
- Anopheles aqualis*, 673
 - Anopheles stephensi*, 590-599, 611-612
 - Anopheles sundaicus*, 608-611
 - Cimex hemipterus*, 644-647
 - Culex fatigans*, 636-639, 673
 - Culex pipiens fatigans*, 657-664
 - during 1956/57, 309-321
 - French Guiana, 672-673
 - houseflies, 310, 641-644, 675-677
 - Iran, 678-680
 - lice, 678-680
 - Malaya, 657-664, 681-683
 - mosquitos, 464-471, 579-620, 624-636, 673
 - Musca domestica*, 641-644, 675-677
 - Taiwan, 623-636
 - See also under individual names of insecticides*
- Insecticides, résistance, *Anopheles aquasalis*, 667-673
- Culex fatigans*, 667-673
 - Culex pipiens fatigans*, Malaisie, 664
- Iodine in endemic goitre, metabolism, 201-215
- prophylaxis, 245-250, 255-272
 - salt, 270-272
 - treatment, 235-238
 - urine, 212
 - See also Goitre, endemic*
- Iodized salts, crystalline, 262-266, 270-272
- free-running, 258-262
 - stability, 267-268
- Irak, fréquence de *B. truncatus*, 766-768
- Iran, bilharziasis treatment, 996-997
- endemic goitre, 107-108
 - insecticide resistance, 678-680
- Iraq, bilharziasis treatment, 996-997
- Ireland, endemic goitre, 68-70
- Irrigation engineering and bilharziasis, 740-744, 1011-1035
- Israel, endemic goitre, 107
- Italy, endemic goitre, 58-61
- Japan, endemic goitre, 134-135
- JAUREGUI, J. J., *see PESIGAN, T. P.*
- KELLY, F. C. & SNEDDEN, W. W., 5-173
- Korea, endemic goitre, 132-133
- LAIRD, M., 681-683
- LANOIX, J. N., 1011-1035
- Larval exposure to insecticides, 590-593, 598

- Latrines in Egyptian villages, 477-478
 Latvian SSR, endemic goitre, 35-36
 Lebanon, endemic goitre, 105-107
 Lice, insecticide-resistant, 678-680
 Lithuanian SSR, endemic goitre, 35-36
LIU, S. Y., 623-649
 Lucanthone hydrochloride in treatment of bilharziasis, 989-1010, 1109-1111
 clinical trials in man, 994-996
 comparison with other Miracils, 990-992
 side effects, 1005-1006
 toxicity, 993
 use in various countries, 996-1005
- McLINTOCK, J.**, 678-680
McMULLEN, B. & HARRY, H. W., 1037-1047
 Madagascar, endemic goitre, 104
 Madeira, endemic goitre, 75
 Malaisie, résistance aux insecticides, 664
 Malaya, endemic goitre, 120-121
 Malta, endemic goitre, 61
 Maroc, fréquence de *B. truncatus*, 766-768
MARTINS, A. V., 931-944
MARILL, F.-G., 1057-1064, 1064-1070
MATOVINović, J. & RAMALINGASWAMI, V., 233-253
MEILLON, B. DE, 1108-1109
MEILLON, B. DE, FRANK, G. H. & ALLANSON, B. R., 771-783
 Metabolism of iodine, 201-215
 Mexico, endemic goitre, 11-12
 Middle East, *Bulinus truncatus*, 833-891
 Mollusc, intermediate host of bilharziasis,
 see Snail vectors of bilharziasis
 Molluscicides against bilharziasis, 963-974
 application, 979-980, 981
 cost, 983-984
 efficacy, 981-983
 formulation, 977-978
 metals, 976-977
 phenols, 976
 Molluscicides contre la bilharziose, 985-986
 Brésil et Egypte, 973-974
 Mollusques vecteurs de la bilharziose,
 Brésil, 909-929
 croissance, 756-757
 facteurs hydrographiques, 763-765
 fécondité, 756
 habitats, 815-816
 maturité sexuelle, 757-758
 mortalité, 758-760
 température, influence, 761-762
 Morocco, endemic goitre, 74
- Mosquitos, susceptibility to insecticides, 464-471, 579-620, 624-636, 673
MOTTA DE AQUINO, U., 461-463
 Moyen-Orient, mollusques vecteurs de la bilharziose, 891-892
MUÑOZ, J. A., *see* PÉREZ, C.
Musca domestica, susceptibility to DDT, 310, 641-644, 675-677
- Negri bodies, in rabies-suspect animals, 469-471
 Netherlands, endemic goitre, 36-38
 Nigeria, endemic goitre, 81-83
 New Guinea, endemic goitre, 137-138
 New Zealand, endemic goitre, 145-148
 Nicaragua, endemic goitre, 14-15
 Norway, endemic goitre, 32-33
- Oceania, endemic goitre, 136-149
OLIVER-GONZÁLEZ, J., *see* RODRIGUEZ-MOLINA, R.
Oncomelania quadrasi in the Philippines,
 behaviour and activity, 495-506
 cercariae, cycle, 555-563
 daily output, 563-568
 distribution in colonies, 568-571
 presence downstream from snail colonies, 571-575
 distribution, geographical, 481-485
 within habitats, 493-495
 effect of *Schistosoma japonicum* infection
 on, 549-554
 habitats, 485-495
 general features, 485-488
 physical and chemical components, 488-493
 infection rates, 546-549, 575-576
 interrelationship with *Schistosoma japonicum*, 544-577
 See also *Schistosoma japonicum*
 laboratory infecting-procedure, 545
 life-history, 506-520
 populations, density, 523-528
 methods of sampling, 520-523
 repopulation after molluscicide treatment, 539-544
 reproduction rates and survival, 535-539
 structure, 528-535
Oncomelania quadrasi aux Philippines, 477
- Pacific Islands, South, endemic goitre, 148-149

- Panama, endemic goitre, 15
 Paraguay, endemic goitre, 25-26
 Parasitism and nutritional state, 1103-1105
PAULINI, E., 975-988
Pediculus corporis, insecticide-resistant, 310
PELEGRINO, J., 945-961
 Penicillin reactions, age distribution, 325
 anaphylactic, 341-343
 environmental factors, 325-326
 fatal cases, 339-341, 460
 incidence, 457-460
 occupation of patients, 325
 past allergy, 326-331
 preparations involved, 335-338
 sex distribution, 326
 skin tests, 331-334, 460
 Taiwan, 323-344
 urticular, 343-344
 WHO questionnaire, 457-460
Pénicilline, réactions à Taïwan, 344
PÉREZ, C., SCRIMSHAW, N. S.
 & MUÑOZ, J. A., 217-232
 Peru, endemic goitre, 20-21
PESIGAN, T. P., FAROOQ, M., HAIRSTON,
 N. G., JAUREGUI, J. J., GARCIA, E. G.,
 SANTOS, A. T., SANTOS, B. C. &
 BESA, A. A., 345-455
PESIGAN, T. P., HAIRSTON, N. G., JAUREGUI,
 J. J., GARCIA, E. G., SANTOS, A. T.,
 SANTOS, B. C. & BESA, A. A., 481-578
 Phenols as molluscicides, 976
 Philippines, bilharziose, 452-453
 climate, 349-353
 endemic goitre, prevalence, 135-136
 helminthic infections, 400-409
 housing, 360
 nutrition, 361-362
 Oncomelania quadrasi, 481-578
 physical features, 347-349
 population, 354-356
 rural health service, 357
 sanitation, 360-361
 Schistosoma japonicum, 345-455, 481-578
 vegetation, 354
PITCHFORD, R. J., 735-750, 1049, 1050-
 1052, 1080-1081, 1088-1097, 1112-1113
Planorbarius metidjensis, rythmes biologiques, 751-769
 Planorbidae, habitats, factors conditioning, 785-815
 See also *Australorbis glabratus*; *Bulinus truncatus*
 Poland, endemic goitre, 38-40
POLLITZER, R., see BURROWS, W.
 Portugal, bilharziasis treatment, 997-998
 endemic goitre, 63-64
 Psychomotor tests in African children, 471-476
 Puerto Rico, ecology of *Australorbis glabratus*, 819-831
 Rabies, laboratory examination of suspect animals, 469-471
RAFFAELE, G., COLUZZI, A. &
 DE ZULUETA, J., 464-471
RAMALINGASWAMI, V., see MATOVINović, J.
RANGASWAMI, R., see VEERARAGHAVAN, N.
 Résistance aux insecticides, *Aëdes aegypti*, 656
 Anopheles aquasalis, 667-673
 Culex fatigans, 667-673
 Culex pipiens fatigans, 664
 Taiwan, 648
 Resistance, insecticide, see Insecticide resistance
 Rhodesia, endemic goitre, 99
 Southern, chemical constituents of surface water, 1071
RODRIGUEZ-MOLINA, R., 1105-1107
 Romania, endemic goitre, 43-44
ROUSHDY IBRAHIM, M., see SHIPMAN, H.
 Ruanda-Urundi, endemic goitre, 94-99
 Salt, iodized, 255-272
 See also Goitre, endemic
SANTOS, A. T., see PESIGAN, T. P.
SANTOS, B. C., see PESIGAN, T. P.
 Sarawak, endemic goitre, 126-127
 Sardinia, endemic goitre, 58-61
 Saudi Arabia, bilharziasis treatment, 996-997
Schistosoma, acquired resistance in experimental animals, 1097-1103
 eggs in human tissues, 1092-1097
Schistosoma japonicum, cercariae, cycle, 555-563
 daily output, 563-568
 distribution in colonies, 568-571
 eggs in stools, 373-376
 habits, 446-452
 Philippines, age and sex prevalence, 381-399
 assessment of disability, 410-426
 epidemiology, 362-455
 geographical location, 345-364
 molluscan host, 481-578
 occupational influence, 381-399

- Schistosoma japonicum* (*continued*)
 Philippines (*continued*)
 prevalence in man, 381-399
 reservoirs, 443-446
 strain differences, 441-442
 test, 376-379
 See also Bilharziasis; Snail vectors of bilharziasis
- Schistosoma japonicum* aux Philippines, 452-453, 577
- Schistosoma mansoni*, non-human vertebrate hosts of bilharziasis, 931-944
- Schistosome, souches animales, 921
 souches humaines, 918-920
- Schistosomiasis, *see* Bilharziasis
- Scotland, endemic goitre, 67-68
- SCRIMSHAW, N. S., *see* PÉREZ, C.
- SERRANO, D. G., *see* RODRIGUEZ-MOLINA, R.
- Seychelles, endemic goitre, 104
- SHIPMAN, H., AGAMIEH, M., ROUSHDY IBRAHIM, M. & ABDEL MAWLA M. ABDEL MAWLA, 477-479
- Sicily, endemic goitre, 58-61
- Sierra Leone, endemic goitre, 79-81
- Snail vectors of bilharziasis, Africa, South, ecology, 771-783
 African Lake Plateau, 692-697
 Brazil, 895-908
 distribution, 897
 life-cycle, 897
 control, 963-974, 975-988, 1113-1116
 distribution, 693-697
 habitats, factors influencing, 785-818, 1071
 fresh-water, 1072-1080
 in irrigation systems, 1019-1022
 Middle East, 833-894
 Nile Valley, 729-732
 Philippines, 481-578
 Planorbidae family, *see* Planorbidae
 Puerto Rico, 819-831
 repopulation after molluscicide treatment, 983
 seasonal rhythm in fertility, 768-769
 Sudan, 703-727
 Swaziland, 737
 See also under individual names of snails
- Snail-schistosome complex, 927-928
- SNEDDEN, W. W., *see* KELLY, F. C.
- Somaliland Protectorate, endemic goitre, 94
- Spain, endemic goitre, 61-63
- STANBURY, J. B., 201-215
- Staphylococcus, bacteriological examination, 296-305
 classification, 293-295
- Staphylococcus (*continued*)
 culture appearance, 292-293
 identification, 299-300
 laboratory diagnosis, 291-307
 microscopic appearance, 292
 sensitivity to antibiotics, 301-305
 serological examination, 305
 specimen collection, 295-296
- Sudan, bilharziasis, 697-727
 snail vectors, 703-727
 treatment, 998-1000
- dams, 702-703
- endemic goitre, 90-92
- flood plains, 701
- geography and climate, 697-700
- irrigation, 703
- rains, 701
- Swaziland, bilharziasis, control, 744-745, 748-749
 prevalence, 737-740
 irrigation schemes, 740-744
- Sweden, endemic goitre, 31-32
- Switzerland, endemic goitre, 55-58
- Taiwan, endemic goitre, 133-134
 insecticidal tests, 623-648
 penicillin reactions, 323-344
- Taiwan, réactions à la pénicilline, 344
 résistance aux insecticides, 648
- Tanganyika, endemic goitre, 94
- Tasmania, endemic goitre, 138-145
- Thyroid, carcinoma, and endemic goitre, 184-185
 hypo-, *see* Goitre, endemic
 treatment of endemic goitre, 239
- Thyrotoxicosis, 183-184
- Transvaal, bilharziasis infection rates in Africans, 1088-1091
 Eastern, animal reservoirs of bilharziasis, 1080-1081
- Turkey, endemic goitre, 105
- Uganda, endemic goitre, 94
- Union of South Africa, bilharziasis, 1080-1081, 1088-1091
 endemic goitre, 99-104
 snail vectors, 771-783
- Urticaria, following penicillin administration, 343-344
- Uruguay, endemic goitre, 26
- USA, endemic goitre, 9-11
- USSR, endemic goitre, 40-43

- VEERARAGHAVAN, N., BALASUBRAMANIAN, A.
 & RANGASWAMI, R., 469-471
- Venezuela, endemic goitre, 18-19
- Vibrio cholerae*, agglutination, 286-287
 culture media, 277-282
 examination, 283
 haemolytic activity, 285-286
 identification, 284
 immunizing agents, 280-281
 isolation, 284
- VOGEL, H., 1097-1103
- Wales, endemic goitre, 65-67
- WALKER, A. R. P., 1103-1105
- WANG, K. Y., *see* IDSÖE, O.
- Water-supplies in Egyptian villages, 477-479
- WATSON, J. M., 833-894
- WHARTON, R. H., 657-665, 684
- WILLCOX, R. R., 457-460
- WRIGHT, W. H., DOBROVOLNY, C. G. &
 BERRY, E. G., 963-974
- Yaws, Brazil, 461-463
 treatment, 463
- Yugoslavia, endemic goitre, 45-47
- ZEINI, A., *see* McLINTOCK, J.